



Vanquish Core HPLC Systems

Simple to the CORE




## Continually deliver results

When you can't tolerate any disruptions to your daily analytical work, the Thermo Scientific™ Vanquish™ Core HPLC systems empower your operators to continually deliver exceptional results. Transferring methods to the Vanquish Core system is simple and seamless, regardless of your current HPLC setup.

Built upon the innovative Vanquish platform, the Vanquish Core HPLC systems provide exceptional analytical precision, detector sensitivity, and operational simplicity to enable unprecedented reliability and robustness. Designed specifically for routine analysis laboratories, the Vanquish Core HPLC systems provide:

- Dependable system uptime through innovative system health checks and improved system ruggedness
- Simple integration with your Thermo Scientific™ Chromeleon™ Chromatography Data System (CDS), Waters™ Empower™ 3 CDS and Agilent™ OpenLab™ CDS software
- Compliant-ready infrastructure that minimizes unexpected results and out-of-specification events
- Empower lab personnel with intuitive system operation and simplified user maintenance
- Seamless method transfer from all common HPLC systems
- Smooth integration into the broad Thermo Scientific LC-MS portfolio



# Increase productivity



On-time delivery of your results is critical. The Vanquish Core HPLC system enables your laboratory to maximize productivity through novel intelligence features, ensuring exceptional instrument reliability.

## Reliability

- Long-life needle alignment
- Long-life injection valve
- Elimination of autosampler condensation issues
- Accurate and precise sample injections
- Improved ruggedness of optical detectors against thermal and mechanical stress

## Intelligence

- Comprehensive instrument diagnostic procedures
- Integrated system health checks
- Solvent and waste level monitoring




## Maintenance-free injection valve

An optimally-functioning injection valve is critical to deliver precise and accurate quantitative results on an HPLC system. The Vanquish Core HPLC system uses innovative long-life injection valves, reducing cost of ownership, minimizing unexpected downtime, and increasing overall confidence in your results.

# Deliver consistency

In today's connected and globalized world, instrument reliability is measured through the ability to deliver the right results in every lab, on every instrument, operated by any user in laboratories across the globe. The Vanquish Core HPLC system ensures that your labs deliver consistency, no matter where they are.



- Dresden, Germany
- Ludwigshafen, Germany
- Germering 1, Germany
- Germering 2, Germany
- Bend, Oregon, USA
- Nottingham, UK
- Shanghai, China
- Birmingham, UK

**Above graph:** Test sites of a Vanquish Core round robin test using eight different instruments with individual samples, users, and columns. Each analysis passed the specified SST criteria highlighting the reliability of the instrument and the ease of use for each user resulting in successful SST.

**Bottom graphs:** Results of a global round robin test showing that all eight data sets consistently surpass the SST criteria of resolution above 1.5 and excellent peak area reproducibility.

# Support your infrastructure

Regardless of your current software infrastructure, you can take advantage of the latest chromatographic innovations. The Vanquish Core HPLC system pairs perfectly with Chromeleon CDS to take advantage of its unrivaled ease-of-use, reliability, and performance.

- Chromeleon CDS feature release

- Complete integration with all capabilities for intelligent system operation
- Full control, operation, processing, and reporting within Chromeleon CDS workstation and enterprise infrastructures

- Chromeleon CDS long-term support

- Enables basic functionality for direct control, operation, processing, and reporting without the need to update the existing enterprise installation

- Standard Instrument Integration (SII) for Empower 3 and OpenLab software

- Enabling seamless instrument control and method creation for all laboratories currently employing Waters Empower CDS and Agilent OpenLab CDS software






# Streamline your compliance

The Vanquish Core HPLC system supports you in minimizing both out-of-specification results and deviations from your Standard Operating Procedures (SOPs).

- Automatic warning if there is not enough eluent to complete the sample sequence
- Automatic recording in the audit trail of eluent bottle refill
- Monitoring of instrument operational readiness through routine and automated system health checks

## Avoid these consequences



# Empower your operators

In today's analytical laboratory environment, your scientific personnel have limited time for in-depth familiarization with new instrumentation. An HPLC system should seamlessly fit into your existing workflows and processes without requiring extra training or expertise.

The Vanquish Core HPLC system brings ease of use to a new level, empowering every user to deliver exceptional results, independent of user experience.

- Thermo Scientific™ Viper™ finger-tight fittings for nearly zero dead-volume fluidic connections
- Automatic and remote instrument purging
- Thermo Scientific™ Vanquish™ Solvent Monitor to ensure enough eluent for every sequence
- Vanquish User Interface to provide direct, at-instrument monitoring of system status and support for operator-controlled maintenance
- Instrument diagnostics to easily identify and troubleshoot issues



**Vanquish Solvent Monitor manages your eluent and waste level for highest confidence during analysis.**

## Vanquish Solvent Monitor

The Vanquish Solvent Monitor extends Vanquish HPLC and UHPLC systems to accurately and automatically measure the liquid levels in each individual solvent channel and waste container.

Deep integration of the Vanquish Solvent Monitor into the Vanquish Core system provides direct viewing of solvent and waste volumes within Chromeleon CDS, on the Vanquish User Interface, or directly on the module itself.

Run large sample sets with confidence, avoid lost time, and eliminate procedural deviations by monitoring mobile phase levels; prevent hazardous spills by monitoring waste levels.



# Monitor your instrument

The interactive Vanquish User Interface allows operators to intuitively, immediately, and intelligently monitor the current system status:

- Fulfills compliance needs with a direct interface to the system without the need for a network connection
- Glove-enabled and solvent resistant touch display
- Status display of current instrument parameters, such as flow and pressure
- Monitoring of column equilibration progress through graphical representation of pump pressure data
- Display of step-by-step maintenance videos
- Remote instrument monitoring, even without CDS
- Multi-language support

## Vanquish User Interface



On-instrument maintenance instructions



Multi-language support



Instrument equilibration monitoring



Direct solvent level display




Instrument status display



# Replicate your methods


When you need to improve your lab's productivity while maintaining existing workflows, you need a system that has the flexibility to precisely replicate your current methods. The Vanquish Core HPLC system is designed to mimic other HPLC systems to transfer normal-phase and reversed-phase methods easily while boosting productivity and ease of operation.

- Tunable gradient delay volume to match analytes retention time and separation profile
- Custom injection programs to adapt for high organic solvent injections
- Still-air and forced-air thermostating options to mimic your existing instrument




**With the Vanquish Core HPLC system, the instrument gradient delay volume can be seamlessly adjusted in order to match legacy HPLC instruments. In this example the gradient delay volume was increased by a simple software command (Idle Volume=200  $\mu$ L) in the instrument method to best match the Agilent® 1260 Infinity LC system.**

Transferring analytical HPLC methods can be challenging if you do not have the right instrumental tools at hand. The reason for that is that the success of method transfer is not only determined by a single instrumental parameter such as the gradient delay volume of the HPLC system. In fact, the system dispersion and the column thermostating technology also play a major role. The Vanquish Core HPLC system is the only instrument that can cover all of these parameters to allow for the easiest method transfer.



# Simplify your transition

In addition to gradient delay volume, matching the column thermostating mode and overall system dispersion are critical to ensure your method is successfully transferred from one system to another. Vanquish Core offers two column thermostating options to change to the column thermostating principle of your legacy HPLC instrument with a single mouse click.



High organic sample solvents can cause peak shape distortions on modern HPLC instruments. Vanquish Core HPLC systems conduct sandwich injections to be able to inject high organic samples while keeping the chromatographic efficiency.

Furthermore, modern HPLC instruments offer lower system dispersion, which benefits overall separation power but might lead to undesirable peak shapes when samples with high organic content are injected. The Vanquish Core HPLC system uses custom injection programs to do a simple in-needle dilution to the sample and enable you to run your method as usual while benefiting from improved separation power.



Method Transfer kit for Vanquish Core HPLC system. In combination with the Vanquish Split Samplers metering device, the gradient delay volume can be adjusted on a microliter scale over a wide range. Audit trail tracking of the settings and full qualification ensure regulatory compliance.

# Detect your analyte




Choosing the right detection technology is key to revealing all the components of interest in your sample. The Vanquish Core HPLC systems offer a wide range of detection capabilities that can be easily integrated and combined to fit your methods.



## Industry-leading diode array detection


The industry-leading Thermo Scientific™ Vanquish™ diode array detectors offer excellent signal-to-noise performance and the widest linear range, exceeding that of variable wavelength detectors. Based on diode array detection technology, the multiple wavelength detector offers a cost-effective solution for simultaneously acquiring up to eight UV-Vis wavelength channels.



Concentration vs. peak height plot of nevirapine with data points that were considered for calibration (black) and data points that were eliminated from calibration due to curve decline (red). Linear calibration with permitted offset and no weighting.

## Powerful fluorescence detection

Fluorescence detection enables high sensitivity and selectivity.



FLD chromatogram of the four aflatoxins: G2, G1, B2 and B1 at a concentration of 0.9 µg/kg for G2 and B2 and 2.9 µg/kg for G1 and B1.

## Variable wavelength detection

UV-Vis detection with excellent sensitivity and linearity is a cost-effective and powerful solution for quantitative compound analysis.

## Refractive index detection


Isocratic separations with refractive index detection offers cost-effective, universal detection for routine analysis.



### Uniquely universal charged aerosol detection

The Thermo Scientific™ Vanquish™ charged aerosol detector is powerful, uniform, and universal; able to detect virtually any large and small molecule with sub-nanogram-level sensitivity, even those that lack a chromophore or that poorly ionize. The flexibility and performance of charged aerosol detection is ideal for analytical R&D, while its simplicity and reproducibility benefit manufacturing QA/QC applications.


### Charged Aerosol Detection



### LC-MS TIC positive ionscan $m/z$ 250–1250



### UV at 220 nm



Unlike mass spectrometry and UV, the CAD is able to measure all analytes in the sample. Mass spectrometry (MS) requires the analyte to form gas phase ions while response by a UV detector depends upon the nature of the chromophore.



### Simple mass detection

Mass spectrometry gives access to valuable data no other technology can deliver. The easy to use Thermo Scientific™ ISQ™ EM single quadrupole mass spectrometer or the Thermo Scientific™ ISQ™ EC single quadrupole mass spectrometer integrates with LC systems for reliable, robust, and easy LC-MS routine analysis with an extended mass range for more flexibility. Integrated software allows both novices and experts to quickly master MS to gain more insights from every sample.



### Pairing smoothly with your LC-MS


LC-MS quantification is a widely used technology in many application fields, including food safety and environmental monitoring. In conjunction with the Thermo Scientific mass spectrometer portfolio, Vanquish Core delivers a great solution for ultra-sensitive detection. For control of your LC-MS setup you can choose between the feature-rich Thermo Scientific™ Xcalibur™ software, the powerful Thermo Scientific™ TraceFinder™ software or the compliant-ready Chromeleon CDS control.



# Innovating for you



2



11



## 1 Vanquish Solvent Monitor

Use the Vanquish Solvent Monitor to increase your regulatory compliance, productivity, and safety of your laboratory. That device guarantees that your HPLC systems will never run dry and the waste will not spill over, reducing loss of valuable measurement time and sample material.

## 2 Vanquish User Interface

With the Vanquish User Interface, you are the master of your LC instrument. The display always shows you the key parameters of your instrument such as flow and pressure and guides you in a visual step-by-step video tutorial through key maintenance tasks.

## 3 Detection capabilities

Differing molecular characteristics of your analyte, from small molecules to complex biomolecules, necessitates multiple detector technologies. The Vanquish Core systems have been built to utilize a wide range of analytical detectors, including mass spectrometry (MS), diode array detection (DAD), multi wavelength detection (MWD), charged aerosol detection (CAD), variable wavelength detection (VWD), refractive index detection (RID), and fluorescence detection (FLD).

## 4 Built for automation

The Vanquish autosampler has the option to add the Vanquish Loader to connect the LC or LC-MS system to the sample preparation robotics, allowing the complete analysis of the sample, from preparation to reporting without human intervention.



## 5 SmartInject Technology


Superior retention time precision and accuracy, as well as enhanced column protection.

## 6 Proprietary injection and switching valves

Vanquish Core provides proprietary optimized normal-phase and reversed-phase valves. The valves used in the Vanquish Core HPLC systems are designed to meet the reliability needs to make HPLC run robustly and routinely. The reversed-phase valves are long-life and follow a no maintenance philosophy reducing your overall cost of ownership.

## 7 Easier operation

Utilizes tool-free Thermo Scientific™ Viper™ Fingertight Fittings with near-zero dead volume operation and ergonomic design.



## 8 Simple maintenance

Modules can be repaired without de-stacking; each unit has handles for ease of maneuvers; light bars on the front of the system indicate system status; and the entire system supports tool-free maintenance.

## 9 Keep your lab tidy

The built-in drawer stores accessories, related documents, or any other useful material for the system.

## 10 Easy to adopt

The tunable gradient delay volume and multiple thermostating options allow you to precisely replicate your legacy HPLC methods.

## 11 Compatible with your software infrastructure

Support under various software environments, including the latest Chromeleon CDS feature release and long-term support versions, Waters Empower and Agilent OpenLab CDS.



## Thermo Scientific LC portfolio overview

### Analytical HPLC and UHPLC

#### Application-specific HPLC and UHPLC

Thermo Scientific™ Vanquish™ High-throughput LC Systems  
 Thermo Scientific™ Vanquish™ Inverse Gradient LC Systems  
 Thermo Scientific™ Vanquish™ Method Development LC Systems  
 Thermo Scientific™ Vanquish™ Online 2D-LC Systems  
 Thermo Scientific™ Vanquish™ Analytical Purification LC System  
 Thermo Scientific™ Transcend™ UHPLC Systems

### Nano-, cap-, micro-flow UHPLC

#### Dependability



#### Thermo Scientific™ Vanquish™ Core HPLC Systems

- High-pressure binary, low-pressure quaternary solvent blending or isocratic flow delivery
- Workhorse instrument
- Seamless method transfer
- System intelligence for improved productivity

700 bar

#### Flexibility



#### Thermo Scientific™ Vanquish™ Flex UHPLC Systems

- High pressure binary and low-pressure quaternary solvent blending
- Biocompatible
- Unparalleled flexibility and control

1000 bar

#### Performance



#### Thermo Scientific™ Vanquish™ Horizon UHPLC System

- High-pressure binary solvent blending
- Biocompatible
- Industry-leading specifications
- Unmatched detection sensitivity

1500 bar

#### Sensitivity



#### Thermo Scientific™ Vanquish™ Neo UHPLC System

- All-in-one nano-, capillary-, and micro-flow LC systems
- Accelerating productivity with long-term, trouble-free operation
- Intelligent at-system or remote control, method setup, diagnostics, and troubleshooting

1500 bar

Learn more at [thermofisher.com/vanquishcore](https://thermofisher.com/vanquishcore)

**General Laboratory Equipment – Not For Diagnostic Procedures.** © 2020-2023 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. Agilent and Open Lab are registered trademarks of Agilent Technologies, Inc. Waters and Empower are registered trademarks of Waters Corporation. This information is presented as an example of the capabilities of Thermo Fisher Scientific products. It is not intended to encourage use of these products in any manner that might infringe the intellectual property rights of others. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. **BR73271-EN 0723M**